



Lung ultrasound for early diagnosis and severity assessment of pneumonia in patients with coronavirus disease 2019

Young-Jae Cho^{1,*}, Kyoung-Ho Song^{2,*}, Yunghee Lee¹, Joo Heung Yoon³, Ji Young Park^{4,5}, Jongtak Jung²,
Sung Yoon Lim¹, Hyunju Lee⁵, Ho Il Yoon¹, Kyoung Un Park⁶, Hong Bin Kim², and Eu Suk Kim²

Divisions of ¹Pulmonary and Critical Care Medicine and ²Infectious Diseases, Department of Internal Medicine, Seoul National University Bundang Hospital, Seongnam, Korea; ³Division of Pulmonary, Allergy, and Critical Care Medicine, Department of Medicine, University of Pittsburgh Medical Center, Pittsburgh, PA, USA; ⁴Department of Paediatrics, Chung-Ang University Hospital, Seoul; Departments of ⁵Paediatrics and ⁶Laboratory Medicine, Seoul National University Bundang Hospital, Seongnam, Korea

Korean J Intern Med 2020;35:771-781
<https://doi.org/10.3904/kjim.2020.180>

In the article cited above, 'Acknowledgments' was missed. The added 'Acknowledgments' is as following.

Acknowledgments

This work was supported by grants from the Seoul National University Bundang Hospital (No. 06-2014-015, Young-Jae Cho).

We apologize for any inconvenience that this may have caused.