

SCIENTIFIC REPORTS



OPEN

Quantum-mechanical machinery for rational decision-making in classical guessing game

Jeongho Bang^{1,2,3}, Junghee Ryu³, Marcin Pawłowski³, Byoung S. Ham¹ & Jinhyoung Lee²

Received: 24 November 2015

Accepted: 25 January 2016

Published: 15 February 2016

In quantum game theory, one of the most intriguing and important questions is, “Is it possible to get *quantum* advantages without any modification of the *classical* game?” The answer to this question so far has largely been negative. So far, it has usually been thought that a change of the classical game setting appears to be unavoidable for getting the quantum advantages. However, we give an affirmative answer here, focusing on the decision-making process (we call ‘reasoning’) to generate the best strategy, which may occur internally, e.g., in the player’s brain. To show this, we consider a classical guessing game. We then define a one-player reasoning problem in the context of the decision-making theory, where the machinery processes are designed to simulate classical and quantum reasoning. In such settings, we present a scenario where a rational player is able to make better use of his/her weak preferences due to quantum reasoning, without any altering or resetting of the classically defined game. We also argue in further analysis that the quantum reasoning may make the player fail, and even make the situation worse, due to any inappropriate preferences.

Game theory, which is a very well established discipline in mathematics¹, has successfully been applied to various fields, such as social science^{2,3}, evolutions in biology⁴, and economics⁵. At the abstract level, game theory mainly deals with legitimate strategies and scores of the players. Thus, a game is defined by the strategies on one hand, and by a specification of how to evaluate the players’ game scores on the other hand. Recently, physicists have been attempting to generalize the game into a new scenario finding common theoretical properties between the game and quantum theory^{6–10}. Of particular interest to this generalization is to study whether it is possible to replace the classical strategy with a quantum strategy for getting quantum advantages, if any¹¹. The quantum advantages from such a generalization have been found to be relevant to these games. For example, consider the “penny-flip game”, where two players take turns choosing whether or not to flip a penny inside a box, and the starting player opens the box to identify if the penny is flipped from its starting position or not⁶. Here, if one player can adopt a quantum penny, then he/she has a better chance of winning assisted by quantum superposition. Another celebrated example is the “Prisoner’s game”, where two players face a dilemma, since acting rationally for their own interests would result in a collectively worse outcome^{7,8}. But this dilemma can also be solved by adopting quantum strategies that the players can realize. Most recently, some new game scenarios have been conceived, that establish a strong link to communication complexity¹² and Bell-inequality engaging the nonlocality^{13,14}.

Following up on the successes of the previous studies of the quantum game, we also plan to explore a positive role of the ‘quantum’ in a classically designed game. In particular, we consider the following question, “Is it possible to get quantum advantages without any quantum modification?” This question is important because nearly all games are allowed to have the advantages due to “quantum strategies”, and it has usually been thought that one inevitably needs to change the original form of the classical game to enjoy the quantum advantages^{15,16}. Therefore, the answer to the aforementioned question has been negative. However, here we find an affirmative answer, focusing on—substantially different from the earlier approaches—the decision-making (we call “reasoning” hereafter) of the rational player. To show this, we design a classical two-player game, called the Secret-Bit Guessing Game, where one player named Bob attempts to guess the secret bits of the other player, Alice. For this game, we map out two parallel ways of Bob’s reasoning to choose his best answering strategies: one is classical probabilistic, and the

¹Center for Photon Information Processing, and School of Information and Communications, Gwangju Institute of Science and Technology, Gwangju, Republic of Korea. ²Department of Physics, Hanyang University, Seoul 133-791, Korea. ³Institute of Theoretical Physics and Astrophysics, University of Gdańsk, 80-952 Gdańsk, Poland. Correspondence and requests for materials should be addressed to J.B. (email: jbang@gist.ac.kr) or B.S.H. (email: bham@gist.ac.kr) or J.L. (email: hyoung@hanyang.ac.kr)

other is quantum. Each reasoning that is drawn by Bob is modeled as a machinery process for systematic analysis and fair comparison. On the basis of the payoff-function analysis, we explicitly show that the quantum reasoning can be more advantageous without changing the classical setting of the game. This is because the rational player, Bob, can make better use of his weak preferences, faithfully dealing with quantum superposition. However, we also argue in further analysis that the quantum reasoning may frustrate Bob, and even make the situation worse due to malicious hints that can lead Bob to have the wrong preferences.

Results

Secert-Bit Guessing Game & One-Player Reasoning Problem. Firstly, we consider a secret-bit guessing game^{17,18}. In the game, Alice generates two bits and keeps them on her memory M_x ($x = 0, 1$). Here we note that the identity of the bits are in M_x , regardless of whether anyone can access it or not (i.e., the secret bits are classical). Then, the other player Bob chooses his answering strategies $u_{\text{Bob}} \in \{0, 1\}$ to guess the secret bits enveloped by Alice, considering four possible strategies $u_{\text{Alice}}(x)$ ($x = 0, 1$) that Alice may have. Specifically,

$$M_x \leftarrow \begin{cases} [\tau.1] & u_{\text{Alice}}(x) = 0, \\ [\tau.2] & u_{\text{Alice}}(x) = x, \\ [\tau.3] & u_{\text{Alice}}(x) = 1 \oplus x, \\ [\tau.4] & u_{\text{Alice}}(x) = 1, \end{cases} \quad (1)$$

where ‘ \oplus ’ denotes modulo-2 addition. Here, if Bob’s answer is correct (i.e., $u_{\text{Bob}} = u_{\text{Alice}}$) for a given x , Bob wins a single-point $\frac{1}{2}$ and Alice loses the same single-point. Otherwise, in case Bob gives wrong answer (i.e., $u_{\text{Bob}} \neq u_{\text{Alice}}$), Alice and Bob get the single-points $\frac{1}{2}$ and $-\frac{1}{2}$, respectively. This game is thus defined as $\mathcal{G} = \mathcal{G}(S, P)$, where S and P denote the (non-empty) sets of the players’ strategies ($u_{\text{Alice}}, u_{\text{Bob}}$) and game scores ($\xi_{\text{Alice}}, \xi_{\text{Bob}}$), respectively. Noting that Bob makes two answers for M_x ($x = 0, 1$), the possible game scores for Alice and Bob after one game are made by adding the two single-points, and thus $\xi_{\text{Alice}}, \xi_{\text{Bob}} \in \{-1, 0, 1\}$. Note further that ξ_{Alice} is equal to $-\xi_{\text{Bob}}$, or equivalently, $\xi_{\text{Alice}} + \xi_{\text{Bob}} = 0$; i.e., our game is zero-sum¹.

Whereas in previous studies the strategies have usually been generalized in a quantum regime, our primary concern here is with the reasoning process. In particular, we would like to investigate if a quantum reasoning can yield a higher winning average compared to the classical ones even in a fully classical game. We now turn our attention to Bob’s reasoning to make his valid answering strategies u_{Bob} for $x = 0, 1$. We define this a “One-Player Reasoning Problem”.

To deal with this problem, we design a process of Bob’s reasoning by introducing a one-bit Boolean function,

$$u_{\text{Bob}}(x) = r_0 \oplus r_1 x, \quad (2)$$

where $r_0, r_1 \in \{0, 1\}$. Then, Bob’s reasoning is nothing but the process of making the output $u_{\text{Bob}}(x)$ for a given $x \in \{0, 1\}$, depending on the coefficients $(r_0, r_1) \in R$. Note that the function in eq. (2) can generate all possible sets $[\tau.1]$ – $[\tau.4]$ of $u_{\text{Alice}}(x)$ in eq. (1). Here we consider the concept of a *hint* given from, e.g., a helper, which allows Bob to have (‘weak’ or possibly ‘strong’) preferences over R . Note that the hints are referred to as the classical information, as the real-world players recognize the measured information. We can thus formulate our problem (R, \mathcal{z}) with Bob’s preferences and alternatives R in the context of the theory of decision-making¹. We note that the hints are presented in abstract form. We assume an “interpretation function” that quantifies his own preferences, such that

$$\{\Pr(r_0 \rightarrow k), \Pr(r_1 \rightarrow k')\} \in H(k, k' = 0, 1), \quad (3)$$

where $\Pr(r_j \rightarrow k)$ denotes the probability of choosing “ $r_j \rightarrow k$ ” ($j, k = 0, 1$), and H denotes the possible set of those probabilities. Here, $\Pr(r_j \rightarrow k \oplus 1) = 1 - \Pr(r_j \rightarrow k)$. Thus if $\Pr(r_j \rightarrow k) \geq \frac{1}{2}$, Bob wants to choose “ $r_j \rightarrow k$ ”, at least as much as “ $r_j \rightarrow k \oplus 1$ ” (i.e., “ $r_j \rightarrow k$ ” \succeq “ $r_j \rightarrow k \oplus 1$ ”), and vice versa. More specifically, we write $\Pr(r_j \rightarrow k)$ as

$$\Pr(r_j \rightarrow k) = \frac{1}{2} + (-1)^k \alpha_j, \quad (4)$$

where $\alpha_j \in \left[-\frac{1}{2}, \frac{1}{2}\right]$ is defined as a factor to represent the bias of Bob’s preferences.

Here, if the direction of $\alpha = (\alpha_0, \alpha_1)^T$ is appropriately assigned, we say that the probabilities in eq. (3) are *well-quantified*, where α was defined as a vector on the two-dimensional space of (α_0, α_1) . For example, if Alice’s strategies $u_{\text{Alice}}(x)$ are $[\tau.1]$, the well-quantified probabilities are characterized with the directional condition ($\alpha_1 > 0$ and $\alpha_2 > 0$) (see Fig. 1 for all the cases). Bob is supposed to perform his reasoning, believing his ability to interpret the given hints. A schematic picture of our game is presented in Fig. 2.

Two parallel reasoning processes: Classical probabilistic, and quantum. In order to perform a more systematic analysis, we replace Bob’s reasoning to a machinery process. To this end, we consider a fledged computing module¹⁹, as depicted in Fig. 2, to simulate the reasoning process of eq. (2). This computing module consists of two one-way channels C_x and C_y , where C_x transmits the classical signals of the memory number x , and C_y deals with the signals of Bob’s strategies $u_{\text{Bob}}(x)$ ($x = 0, 1$). Two probabilistic logic gates R_0 and R_1 are also




Figure 1. For each set of Alice’s strategies $u_{\text{Alice}}(x)$ ($x = 0, 1$), we specify the regions of well-quantified probabilities of Bob’s preferences in the space of (α_0, α_1) .




Figure 2. Schematic picture of our game setting. Alice sets the two secret bits into her memory M_x ($x = 0, 1$) and Bob attempts to guess them. In this game, we define one-player (Bob’s) reasoning problem with a certain set of probabilities of the player’s own preferences, as in eq. (3). Here, we replace the reasoning to the process of a machinery that consists of the corresponding internal devices involved (e.g., one inside the player’s reasoning). See main text.

placed in \mathcal{C}_y , but note that R_1 acts conditioned on the input x in \mathcal{C}_x being 1. Bob’s strategies $u_{\text{Bob}}(x)$ are identified by the measurement at the end of \mathcal{C}_y . We here introduce another internal machine, to be called an interpretation machine, to generate the probabilities $\text{Pr}(r_j \rightarrow k)$ ($j, k = 0, 1$) of Bob’s preferences.

With this general model of reasoning machinery, we assume that Bob can make two different types of reasoning: *Classical probabilistic* and *quantum*. Here, we note that the signals x in \mathcal{C}_x should be classical even in the case of quantum reasoning, as it is regarded as an element of the game. Thus, we do not need to consider any additional internal process to convert the classical information to the quantum information in the reasoning, or vice versa¹⁶. This assumption is not trivial, as we have to make a fair comparison of the two reasonings without any resetting of the classical game.

Classical probabilistic reasoning. Firstly, let us assume that the signals of \mathcal{C}_y are classical and the logic gates R_j ($j = 0, 1$) act according to the probabilistic rule, to be either “1” with the probability $\text{Pr}(r_j \rightarrow 0)$ or “NOT” with the probability $\text{Pr}(r_j \rightarrow 1)$. In this case, R_0 and R_1 are *classical probabilistic gates*. Such a probabilistic instruction results in better computational outputs in a heuristic manner²⁰, and could allow a reasonable comparison with the unitary gates adopted in the quantum reasoning (as described later). To make the strategy of the answer $u_{\text{Bob}}(x)$




Figure 3. A realizable and concrete setting of Bob’s classical probabilistic reasoning. In such a setting, the analyzer (or the controller) receives the quantified probabilities from the interpretation machine, and performs the Monte-Carlo method by generating a (classical) random number $r \in [0, 1]$. Here, if the randomly generated r is smaller (or larger) than $\Pr(r_j \rightarrow 0)$, the switching device of R_j connects the incoming signal to ‘Identity’ (or ‘NOT’). Bob identifies a value of $u_{\text{Bob}}(x)$ for given x in the classical measurement.

for a given x , the final value 0 or 1 passing through the gates R_j ($j = 0, 1$) is identified by the classical measurement. In Fig. 3, we sketch a realizable and concrete implementation of such a machinery process for the classical probabilistic reasoning.

Quantum reasoning. On the other hand, Bob can also follow the quantum reasoning, where the crucial part of the computing module, including the channel C_y , logic gates R_j ($j = 0, 1$), and measurement device, are quantum. In such a case, each of the gates R_j ($j = 0, 1$) is to be a unitary transformation, defined as

$$\hat{R}_j = \begin{pmatrix} \sqrt{\Pr(r_j \rightarrow 0)} & e^{i\phi_j}\sqrt{\Pr(r_j \rightarrow 1)} \\ e^{-i\phi_j}\sqrt{\Pr(r_j \rightarrow 1)} & -\sqrt{\Pr(r_j \rightarrow 0)} \end{pmatrix}, \tag{5}$$

which also leaves and flips the states $|0\rangle$ and $|1\rangle$ with the probability $\Pr(r_j \rightarrow 0)$ and $\Pr(r_j \rightarrow 1)$, respectively. However, it should be noted that the unitary gate \hat{R}_j has an additional degree of freedom, i.e., *quantum phase* ϕ_j , to exhibit the genuine property of the quantum superposition. It allows the *rational* player, Bob, to explore an additional rule for setting the phases ϕ_j ($j = 0, 1$) to maximize his winning averages. In our game, Bob additionally uses the directional condition of α , which could not be considered in the classical probabilistic reasoning. More specifically, Bob (internally) sets the phases ϕ_j ($j = 0, 1$), according to

$$\begin{cases} (i) & \Delta = 0 & \text{if } \alpha_0\alpha_1 > 0, \\ (ii) & \Delta = \frac{1}{2} & \text{if } \alpha_0\alpha_1 = 0, \\ (iii) & \Delta = 1 & \text{if } \alpha_0\alpha_1 < 0, \end{cases} \tag{6}$$

where $\Delta = \phi_1 - \phi_0$. These rules were made to maximize Bob’s winning averages. Here, the case (i) describes the situation that Bob, internally, chooses $\Delta = 0$ when α contains the directional conditions ($\alpha_0 > 0, \alpha_1 > 0$) or ($\alpha_0 < 0, \alpha_1 < 0$), which are toward $[\tau.1]$ and $[\tau.3]$, respectively. In the case of (iii), Δ is set to be 1 with ($\alpha_0 > 0, \alpha_1 < 0$) or ($\alpha_0 < 0, \alpha_1 > 0$) whose directions are toward $[\tau.2]$ and $[\tau.4]$, respectively. However, in the case of (ii), i.e., when $\alpha_0 = 0$ or $\alpha_1 = 0$, it is not possible to find any useful setting, as a feasible direction of α cannot be sured. At the final step, the quantum measurement is performed on the final state to get $u_{\text{Bob}}(x)$. Note that, in the view of the intrinsic probabilistic nature of the quantum system, the final state does not result in a definite or predictable outcome value. In Fig. 4, a schematic example of such a quantum reasoning procedure is sketched in the linear-optical regime.




Figure 4. A setting of Bob's quantum reasoning. Here we consider a linear optical implementation, where the signals of \mathcal{C}_y are encoded as polarized single-photon states $|H\rangle$ and $|V\rangle$ ($H = 0$ and $V = 1$). The unitary gates \hat{R}_j ($j = 0, 1$) are realized by a set of wave plates (QWP-HWP-QWP) for the polarized photon³⁵. The analyzer maps the quantified probabilities in eq. (3) to the control parameters of the wave-plates, using eqs (5) and (6). Then, the quantum measurement is performed on the final output photon.

Here, we briefly comment that the two settings described above are parallel in the sense that the operation of the logic gates are comparable in each reasoning. Note that, for the number of games, the operations of the classical probabilistic gates R_j ($j = 0, 1$) can also be represented by a stochastic evolution matrix as

$$R_j = \begin{pmatrix} \Pr(r_j \rightarrow 0) & \Pr(r_j \rightarrow 1) \\ \Pr(r_j \rightarrow 1) & \Pr(r_j \rightarrow 0) \end{pmatrix}, \tag{7}$$

where the matrix elements may provide the candidate transition probabilities which describe the dynamics of unitary transformation of eq. (5), even though it is not the case in general²¹.

Analysis of Bob's average scores achievable from the two reasonings. A crucial task in game theory is to investigate a function f_s , which determines the average scores of the players over the number of games. In our game, such a function f_s , named the payoff function, can be defined by

$$f_s : S \times H \times A \rightarrow (\Xi_{\text{Alice}} \in \mathbb{R}, \Xi_{\text{Bob}} \in \mathbb{R}), \tag{8}$$

where Ξ_{Alice} and Ξ_{Bob} denote the total average scores of Alice and Bob, respectively, and A denotes the set of possible reasonings. As mentioned before, our game is a two-player zero-sum game, so it is sufficient to analyze the score of one of the players. We thus focus on the average score Ξ_{Bob} of Bob throughout the work.

More specifically, the total average score Ξ_{Bob} can be evaluated as

$$\Xi_{\text{Bob}} = \frac{1}{4} \sum_{\tau=1}^4 \bar{\xi}_{\text{Bob},\tau}, \tag{9}$$

where it is assumed that Alice chooses her bits at random. Here, $\bar{\xi}_{\text{Bob},\tau}$ ($\tau = 1, 2, 3, 4$) is also defined as the score averaged for a specific set of $u_{\text{Alice}}(x)$ ($j = 0, 1$),

$$\bar{\xi}_{\text{Bob},\tau} = \sum_{x=0,1} \left\{ \frac{1}{2} \Pr(u_{\text{Bob}}(x) = u_{\text{Alice}}(x)) - \frac{1}{2} \Pr(u_{\text{Bob}}(x) \neq u_{\text{Alice}}(x)) \right\}, \tag{10}$$

where the index τ specifies one of the possible sets $[\tau.1]-[\tau.4]$. For example, $\bar{\xi}_{\text{Bob},1}$ denotes the score averaged for the secret bits of $[\tau.1]$. Here, $\Pr(u_{\text{Bob}}(x) = u_{\text{Alice}}(x))$ and $\Pr(u_{\text{Bob}}(x) \neq u_{\text{Alice}}(x))$ are the probabilities that Bob's answer is correct and incorrect for a given x , respectively. For our later analysis, we here rewrite $\bar{\xi}_{\text{Bob},\tau}$ for each τ , as




Figure 5. Bob's average score $\Xi_{\text{Bob}}^{(C)}$ (density-plot on the left, and 3D-plot on the right) with respect to $|\alpha_0|$ and $|\alpha_1|$. Here we assume that Bob performs the reasoning with the well-quantified probabilities of his preferences.

$$\begin{aligned}
 \bar{\xi}_{\text{Bob},1} &= \frac{1}{2}(\Pr(u_{\text{Bob}} = 0|x = 0) + \Pr(u_{\text{Bob}} = 0|x = 1) \\
 &\quad - \Pr(u_{\text{Bob}} = 1|x = 0) - \Pr(u_{\text{Bob}} = 1|x = 1)), \\
 \bar{\xi}_{\text{Bob},2} &= \frac{1}{2}(\Pr(u_{\text{Bob}} = 0|x = 0) + \Pr(u_{\text{Bob}} = 1|x = 1) \\
 &\quad - \Pr(u_{\text{Bob}} = 1|x = 0) - \Pr(u_{\text{Bob}} = 0|x = 1)), \\
 \bar{\xi}_{\text{Bob},3} &= \frac{1}{2}(\Pr(u_{\text{Bob}} = 1|x = 0) + \Pr(u_{\text{Bob}} = 0|x = 1) \\
 &\quad - \Pr(u_{\text{Bob}} = 0|x = 0) - \Pr(u_{\text{Bob}} = 1|x = 1)), \\
 \bar{\xi}_{\text{Bob},4} &= \frac{1}{2}(\Pr(u_{\text{Bob}} = 1|x = 0) + \Pr(u_{\text{Bob}} = 1|x = 1) \\
 &\quad - \Pr(u_{\text{Bob}} = 0|x = 0) - \Pr(u_{\text{Bob}} = 0|x = 1)), \tag{11}
 \end{aligned}$$

where $\Pr(u_{\text{Bob}}|x)$ ($x = 0, 1$) is the probability that Bob identifies $u_{\text{Bob}}(x)$, given the memory number x . In the following, we shall analyze the total average score Ξ_{Bob} achievable from each of the two reasonings.

1) *Average score achievable from the classical probabilistic reasoning.* First, we write out explicitly the conditional probabilities $\Pr(u_{\text{Bob}}|x)$ ($x = 0, 1$) in eq. (11):

$$\begin{aligned}
 \Pr(u_{\text{Bob}} = 0|x = 0) &= \frac{1}{2} + \alpha_0, \\
 \Pr(u_{\text{Bob}} = 1|x = 0) &= \frac{1}{2} - \alpha_0, \\
 \Pr(u_{\text{Bob}} = 0|x = 1) &= \frac{1}{2} + \alpha_0\alpha_1, \\
 \Pr(u_{\text{Bob}} = 1|x = 1) &= \frac{1}{2} - \alpha_0\alpha_1. \tag{12}
 \end{aligned}$$

Here, from eqs (9–11), we can derive that, if there is no biased value of the factor α (i.e., $\alpha_0 = \alpha_1 = 0$), and hence Bob's preferences, then Bob's total average score Ξ_{Bob} will be 0. In such a case, Bob would become *indifferent* (i.e., \sim) to the choice of his strategies. However, if Bob can have a finite non-zero value of α for the given hints, the winning average can be improved. For example, when Alice's strategies $u_{\text{Alice}}(x)$ are $[\tau, 1]$ and the probabilities of Bob's preferences are well-quantified with the directional condition ($\alpha_0 > 0, \alpha_1 > 0$) (as depicted in Fig. 1), Bob's average score can be increased up to $\alpha_0 + 2\alpha_0\alpha_1 > 0$. By generalizing this advantage for other cases, it is found that Bob can have

$$\Xi_{\text{Bob}}^{(C)} = |\alpha_0| + 2|\alpha_0||\alpha_1| > 0, \tag{13}$$

where the superscript '(C)' means that the score is achievable from the classical probabilistic reasoning. In Fig. 5, the graphs of $\Xi_{\text{Bob}}^{(C)}$ are given with respect to $|\alpha_0|$ and $|\alpha_1|$, assuming that the probabilities of Bob's preferences are well-quantified for the given hints. However, if Bob uses ill-quantified probabilities, Bob could have $\Xi_{\text{Bob}}^{(C)} < 0$,




Figure 6. Bob's average score $\Xi_{\text{Bob}}^{(Q)}$ (density-plot on the left and 3D-plot on the right). The probabilities as in eq. (3) are also assumed to be well-quantified, and Bob can chose appropriate phase factors φ_j ($j = 0,1$) following the rules in eq. (6).

decreasing his winning average (see Supplementary Information for details about this). This situation may arise when the hints are made with any malicious intention.

2) *Average scores achievable from the quantum reasoning.* To analyze Bob's score achievable from the quantum reasoning, we also evaluate the conditional probabilities $\Pr(u_{\text{Bob}}|x)$ ($x = 0, 1$) as

$$\begin{aligned} \Pr(u_{\text{Bob}} = 0|x = 0) &= \frac{1}{2} + \alpha_0, \\ \Pr(u_{\text{Bob}} = 1|x = 0) &= \frac{1}{2} - \alpha_0, \\ \Pr(u_{\text{Bob}} = 0|x = 1) &= \frac{1}{2} + \alpha_0\alpha_1 + \Gamma \cos(\pi\Delta), \\ \Pr(u_{\text{Bob}} = 1|x = 1) &= \frac{1}{2} - \alpha_0\alpha_1 - \Gamma \cos(\pi\Delta), \end{aligned} \tag{14}$$

where Γ is defined as

$$\Gamma = 2\sqrt{\left(\frac{1}{4} - |\alpha_0|^2\right)\left(\frac{1}{4} - |\alpha_1|^2\right)}. \tag{15}$$

Here we readily see that the additional term " $\Gamma \cos(\pi\Delta)$ " appears in the case of $x = 1$. We note, again, that the factor Δ comes from the quantum phases ϕ_j ($j = 0, 1$) involved in the unitary gates \hat{R}_j ($j = 0, 1$). Thus, by applying the rules of eq. (6), Bob can get (as long as $\alpha_0 \neq 0$ and $\alpha_1 \neq 0$)

$$\Xi_{\text{Bob}}^{(Q)} = \Xi_{\text{Bob}}^{(C)} + \Gamma, \tag{16}$$

where the superscript '(Q)' denotes the score obtained by quantum reasoning. Here, by observing eq. (16), we can directly see that $\Xi_{\text{Bob}}^{(Q)}$ is always larger than or equal to $\Xi_{\text{Bob}}^{(C)}$, which means that Bob can increase his winning average more than in the classical probabilistic reasoning, *notably even in the case where the elements of the game are all classical*. The equality is satisfied when the given hints are perfect; namely, when $|\alpha_0| = |\alpha_1| = \frac{1}{2}$. This is quite natural, because if the given hints contain whole information of $u_{\text{Alice}}(x)$, then Bob can have *strong preferences* (i.e., \succ) toward his 100% winning. One can also find that $\Xi_{\text{Bob}}^{(Q)} = \Xi_{\text{Bob}}^{(C)}$ when Bob cannot (internally) determine the factor Δ with the condition of $\alpha_0 = 0$ or $\alpha_1 = 0$. But, this is trivial case. Note that eq. (16) is defined for $\alpha_0 \neq 0$ and $\alpha_1 \neq 0$ with the rule of eq. (6). In Fig. 6, we give the graphs of $\Xi_{\text{Bob}}^{(Q)}$ for the well-quantified probabilities. However, we should point out that Bob's winning average can also be decreased due to any malicious hinting. In particular, $\Xi_{\text{Bob}}^{(Q)}$ could be much smaller than $\Xi_{\text{Bob}}^{(C)}$ in the worst case (see Supplementary Information).

Numerical simulations. We now demonstrate the results of our theoretical analysis through numerical simulations that are designed based on Figs 3 and 4. Firstly, we assume that Bob enjoys a finite number of games N following each of the two reasoning processes. Here, Alice chooses her secret-bits randomly in each game and Bob always uses well-quantified probabilities (i.e., the certain values of $|\alpha_0|$ and $|\alpha_1|$ with appropriately assigned directional conditions). In Fig. 7, we plot the data of $\Xi_{\text{Bob}}^{(C)}$ and $\Xi_{\text{Bob}}^{(Q)}$ obtained from (left) classical probabilistic and (right) quantum reasoning. The data are plotted in the space of $|\alpha_0|$ and $|\alpha_1|$ (from 0.05 up to 0.45 at 0.05 intervals). Each




Figure 7. The simulation data of $\Xi_{\text{Bob}}^{(C)}$ (blue circle) and $\Xi_{\text{Bob}}^{(Q)}$ (red circle) are plotted for the two reasonings: (left) Classical probabilistic, and (right) quantum. The solid lines are the theoretical values drawn by eqs (13) and (16). The data are very well matched to the theoretical lines.




Figure 8. We present the data of $\Xi_{\text{Bob}}^{(C)}$ (blue square) and $\Xi_{\text{Bob}}^{(Q)}$ (red circle), by assuming that $|\alpha| = |\alpha_0| = |\alpha_1|$. The quantified probabilities in eq. (3) are assumed to be good. Each data point is also averaged over 10^4 trials of the game. Here we can see that the data are also very well matched to the theoretical (blue and red dashed) lines, drawn by eqs (13) and (16).

point is made by averaging the scores over $N = 10^4$ games. Note that the graphs are duplicating Figs 5 and 6. Actually, the data are very well matched to the theoretical values (the solid lines) drawn by eqs (13) and (16).

We then plot the data of $\Xi_{\text{Bob}}^{(C)}$ (blue square) and $\Xi_{\text{Bob}}^{(Q)}$ (red circle) with respect to $|\alpha|$ in Fig. 8. Here, we let $|\alpha| = |\alpha_0| = |\alpha_1|$. Each data point is also averaged over $N = 10^4$ games, and the quantified probabilities in eq. (3) are assumed to be good. The dashed (blue and red) lines denote the theoretical values, drawn by eqs (13) and (16). In this case, it is directly seen that the increments of Bob's average scores from the quantum reasoning are higher than those from the classical probabilistic reasoning. Notably, degree of the increment is conspicuous when the amount of the Bob's preferences are very weak (as long as $|\alpha| \neq 0$). Actually, Bob can increase his average scores more than 0.5 when $|\alpha| = 0.05$ from the quantum reasoning, whereas the increments allowed from the classical probabilistic reasoning are vanishingly small. Note that $\Xi_{\text{Bob}}^{(C)} = \Xi_{\text{Bob}}^{(Q)} = 0$ when $|\alpha| = 0$.

Discussion

In summarizing, we have presented a classical two-player (Alice and Bob) game, called the Secret-Bit Guessing Game, where Bob attempts to guess what Alice's bits are. Using this game, we designed a legitimate process of Bob's reasoning using a simple Boolean function and defined one-player (Bob's) reasoning problem in the context of the theory of decision-making. We then considered two parallel ways of Bob's reasoning: one is classical probabilistic, and the other is quantum. We primarily investigated whether or not Bob can get the quantum advantage, particularly without changing the classical setting of the game. We replaced each reasoning to a machinery process with the corresponding internal devices. On the basis of the analysis of payoff function, we explicitly showed that Bob can make better use of his weak preferences with quantum reasoning, faithfully dealing with quantum superposition. This advantage was possible because the main logical operations present in Bob's quantum reasoning provided another degree of freedom due to the quantum phase, and this enabled the *rational* player, Bob, to explore an additional way of using his weak preferences to maximize his chance of winning. The important scientific message of our study is: *It appears to be possible to get a quantum advantage even in the case where all*

strategies are classical. We additionally investigated (in Supplementary Information) that if the hints are made to deceive Bob, then Bob's winning average can decrease in general. However, in the worst case, such a disadvantage becomes much more acute. Thus, the quantum advantage in our game was counter-balanced with malicious hinting, and allowed us to remark on how to maximize the potential quantum advantages in such a system²².

As a response, one may consider that Bob can probabilistically simulate the single-qubit process with the classical stuffs and duplicate the measurement outcomes which accurately compare with those from the quantum reasoning by spending a finite additional resources^{23,24}. However, this does not mean “there is nothing the quantum”^{25,26}. In fact, to argue that “a single-qubit cannot be viewed as a genuine quantum system” as “it can classically be simulable” is a long-standing problem, and for several years studies have shown that the single-qubit is incompatible with classical models in terms of temporal inequalities^{27–29}, no-go theorems^{30,31}, operational quasi-probability³², and so on. Furthermore, we think that it is possible to get such a quantum advantage in more complex game defined with the large secret bits. In such a game, Bob's reasoning would be designed as a generalized version of the machinery processes³³.

We believe that our work can provide some intuition on how can we get a quantum advantage using classical information or classical data. This question is of particular significance, since it may be related to some recent issues, e.g., in the field of quantum machine learning algorithm³⁴. Our work is also expected to open up follow up studies across multiple disciplines, such as quantum cryptography and artificial intelligence.

References

- González-Díaz, J., Garc'a-Jurado, I. & Fiestras-Janeiro, M. G. In *An Introductory Course on Mathematical Game Theory*, vol. 115 of Graduate Studies in Mathematics (American Mathematical Society, 2010).
- Camerer, C. In *Behavioral game theory: Experiments in strategic interaction* (Princeton University Press, 2003).
- Castellano, C., Fortunato, S. & Loreto, V. Statistical physics of social dynamics. *Rev. Mod. Phys.* **81**, 591–646 (2009).
- Weibull, J. W. In *Evolutionary game theory* (MIT press, 1997).
- Aumann, R. J. & Hart, S. In *Handbook of game theory with economic applications*, vol. 2 (Elsevier, 1992).
- Meyer, D. A. Quantum Strategies. *Phys. Rev. Lett.* **82**, 1052–1055 (1999).
- Eisert, J., Wilkens, M. & Lewenstein, M. Quantum Games and Quantum Strategies. *Phys. Rev. Lett.* **83**, 3077–3080 (1999).
- Eisert, J. & Wilkens, M. Quantum games. *Journal of Modern Optics* **47**, 2543–2556 (2000).
- Piotrowski, E. W. & Sładkowski, J. An Invitation to Quantum Game Theory. *International Journal of Theoretical Physics* **42**, 1089–1099 (2003).
- Guo, H., Zhang, J. & Koehler, G. J. A survey of quantum games. *Decision Support Systems* **46**, 318–332 (2008).
- Lee, C. F. & Johnson, N. F. Efficiency and formalism of quantum games. *Phys. Rev. A* **67**, 022311 (2003).
- Muhammad, S. *et al.* Quantum Bidding in Bridge. *Phys. Rev. X* **4**, 021047 (2014).
- Brunner, N. & Linden, N. Connection between Bell nonlocality and Bayesian game theory. *Nature communications* **4**, 2057 (2013).
- Pappa, A. *et al.* I. Nonlocality and Conflicting Interest Games. *Phys. Rev. Lett.* **114**, 020401 (2015).
- van Enk, S. J. & Pike, R. Classical rules in quantum games. *Phys. Rev. A* **66**, 024306 (2002).
- Aharon, N. & Vaidman, L. Quantum advantages in classically defined tasks. *Phys. Rev. A* **77**, 052310 (2008).
- Chung, F., Graham, R. & Leighton, F. T. Guessing secrets. *Electron. J. Combinatorics* **8**, R13 (2001).
- Lungu, A. D., Louchard, G., Marini, C. & Montagna, F. The Guessing Secrets problem: a probabilistic approach. *Journal of Algorithms* **55**, 142–176 (2005).
- Younes, A. & Miller, J. F. Representation of Boolean quantum circuits as Reed-Muller expansions. *International Journal of Electronics* **91**, 431–444 (2004).
- Shachter, R. D. & Peot, M. A. In *Proceedings of the Eighth international conference on Uncertainty in artificial intelligence* 276–283 (Morgan Kaufmann Publishers Inc., 1992).
- Schack, R. & Caves, C. M. Classical model for bulk-ensemble NMR quantum computation. *Phys. Rev. A* **60**, 4354–4362 (1999).
- Anand, N. & Benjamin, C. Do quantum strategies always win?—A case study in the entangled quantum penny flip game. *arXiv preprint:1412.7399* (2014).
- Chappell, J. M., Iqbal, A., Lohe, M. A. & von Smeĳal, L. An Analysis of the Quantum Penny Flip Game using Geometric Algebra. *Journal of the Physical Society of Japan* **78**, 054801 (2009).
- Balakrishnan, S. & Sankaranarayanan, R. Classical rules and quantum strategies in penny flip game. *Quantum Information Processing* **12**, 1261–1268 (2013).
- van Enk, S. J. Quantum and Classical Game Strategies. *Phys. Rev. Lett.* **84**, 789–789 (2000).
- Meyer, D. A. Meyer Replies. *Phys. Rev. Lett.* **84**, 790–790 (2000).
- Ruskov, R., Korotkov, A. N. & Mizel, A. Signatures of Quantum Behavior in Single-Qubit Weak Measurements. *Phys. Rev. Lett.* **96**, 200404 (2006).
- Jordan, A. N., Korotkov, A. N. & Büttiker, M. Leggett-Garg Inequality with a Kicked Quantum Pump. *Phys. Rev. Lett.* **97**, 026805 (2006).
- De Zela, F. Single-qubit tests of Bell-like inequalities. *Phys. Rev. A* **76**, 042119 (2007).
- Cabello, A. Kochen-Specker Theorem for a Single Qubit using Positive Operator-Valued Measures. *Phys. Rev. Lett.* **90**, 190401 (2003).
- Grudka, A. & Kurzyński, P. Is There Contextuality for a Single Qubit? *Phys. Rev. Lett.* **100**, 160401 (2008).
- Ryu, J., Lim, J., Hong, S. & Lee, J. Operational quasiprobabilities for qudits. *Phys. Rev. A* **88**, 052123 (2013).
- Yoo, S., Bang, J., Lee, C. & Lee, J. A quantum speedup in machine learning: finding an N-bit Boolean function for a classification. *New Journal of Physics* **16**, 103014 (2014).
- Aaronson, S. Read the fine print. *Nature Phys.* **11**, 291–293 (2015).
- Damask, J. N. In *Polarization optics in telecommunications*, vol. 101 (Springer Science & Business Media, 2004).

Acknowledgements

JB thanks professor Wonmin Son. We acknowledge the financial support of the Basic Science Research Program through the National Research Foundation of Korea (NRF) grant funded by the Ministry of Science, ICT & Future Planning (No. 2014R1A2A1A10050117) and also the ICT R&D program of MSIP/IITP (No. R0190-15-2030). MP and JR are supported by TEAM project of FNP. JR also acknowledges support by EU grant BRISQ2.

Author Contributions

J.B. developed the scenario with J.L. All authors have contributed to analyzing the results. J.B. wrote the manuscript and all authors reviewed.

Additional Information

Supplementary information accompanies this paper at <http://www.nature.com/srep>

Competing financial interests: The authors declare no competing financial interests.

How to cite this article: Bang, J. *et al.* Quantum-mechanical machinery for rational decision-making in classical guessing game. *Sci. Rep.* **6**, 21424; doi: 10.1038/srep21424 (2016).



This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>