



## Errata

To cite this article: (2008) Errata, Electromagnetic Biology and Medicine, 27:2, 211-211, DOI: [10.1080/15368370802103060](https://doi.org/10.1080/15368370802103060)

To link to this article: <https://doi.org/10.1080/15368370802103060>



Published online: 07 Jul 2009.



Submit your article to this journal [↗](#)



Article views: 216



View related articles [↗](#)

## Errata

Two errors occurred in the affiliations section on the title page of the following article that was published in *Electromagnetic Biology and Medicine*, Volume 27, No. 1 (pp. 73–82):

Development and Validation of Reverberation-Chamber Type Whole-Body Exposure System for Mobile-Phone Frequency

Authors: K. B. Jung<sup>a</sup>; T. H. Kim<sup>b</sup>; J. L. Kim<sup>b</sup>; H. J. Doh<sup>c</sup>; Y. C. Chung<sup>d</sup>;  
J. H. Choi<sup>a</sup>; J. K. Pack<sup>b</sup>

Affiliations: <sup>a</sup>Department of Electrical and Computer Engineering, Hanyang University, Seoul, Korea

<sup>b</sup>Department of Radio Science and Engineering, Chungnam National University, Daejeon, Korea

<sup>c</sup>Samsung electronics, Suwon, Korea

<sup>d</sup>Department of Information and Communication Engineering, Seokyeong University, Seoul, Korea

The correct affiliation for T. H. Kim, J. L. Kim, and J. K. Pack should be Chungnam National University.

The correct affiliation for Y. C. Chung is Seokyeong University.